Table of Contents

| 1. | Intro | oduction ······ 1 |
|----|--------|---|
| | 1.1. | What is the World Wide Web? 1 |
| | 1.2. | A Brief History of the Web and the Internet 2 |
| | 1.3. | Web Data Mining 4 |
| | | 1.3.1. What is Data Mining? 6 |
| | | 1.3.2. What is Web Mining? 7 |
| | 1.4. | Summary of Chapters 8 |
| | 1.5. | How to Read this Book 11 |
| | | ographic Notes ······ 12 |
| | Bibli | ography ······ 13 |
| Pa | art I: | Data Mining Foundations |
| 2. | Ass | ociation Rules and Sequential Patterns 17 |
| | 2.1. | Basic Concepts of Association Rules 17 |
| | 2.2. | Apriori Algorithm 20 |
| | | 2.2.1. Frequent Itemset Generation |
| | 0.0 | 2.2.2 Association Rule Generation |
| | | Data Formats for Association Rule Mining 26 |
| | 2.4. | Mining with Multiple Minimum Supports |
| | | 2.4.2. Mining Algorithm |
| | | 2.4.3. Rule Generation · · · · 35 |
| | 2.5. | Mining Class Association Rules 36 |
| | | 2.5.1. Problem Definition |
| | | 2.5.2. Mining Algorithm |

| | 2.6. | Basic Concepts of Sequential Patterns | 41 |
|----|-------|---|----------|
| | 2.7. | Mining Sequential Patterns Based on GSP 22.7.1. GSP Algorithm | 43 |
| | | 2.7.2. Mining with Multiple Minimum Supports 4 | 45 |
| | 2.8. | Mining Sequential Patterns Based on PrefixSpan | 49 |
| | | 2.8.1. PrefixSpan Algorithm 5 | 50 |
| | | 2.8.2. Mining with Multiple Minimum Supports 5 | 52 |
| | 2.9. | Generating Rules from Sequential Patterns 5 | 53 |
| | | 2.9.1. Sequential Rules 5 | |
| | | 2.9.2. Label Sequential Rules 5 | |
| | | 2.9.3. Class Sequential Rules 5 | |
| | | ographic Notes ······ 5 | |
| | Bibli | ography ······ 5 | 58 |
| | _ | | |
| 3. | Sup | ervised Learning 6 | 33 |
| | 3.1. | Basic Concepts 6 | 33 |
| | 3.2. | Decision Tree Induction 6 | 37 |
| | | 3.2.1. Learning Algorithm 7 | |
| | | 3.2.2. Impurity Function ······ 7 | |
| | | 3.2.3. Handling of Continuous Attributes 7 | 75 |
| | | 3.2.4. Some Other Issues ······ 7 | |
| | 3.3. | Classifier Evaluation 7 | |
| | | 3.3.1. Evaluation Methods | |
| | | 3.3.2. Precision, Recall, F-score and Breakeven Point 8 | |
| | | 3.3.3. Receiver Operating Characteristic Curve 8 | |
| | 0.4 | 3.3.4. Lift Curve 8 | |
| | 3.4. | Rule Induction | |
| | | 3.4.1. Sequential Covering | |
| | | 3.4.2. Rule Learning: Learn-One-Rule Function 9 3.4.3. Discussion | 3ひ 3ひ |
| | 2.5 | Classification Based on Associations | |
| | 3.5. | 3.5.1. Classification Using Class Association Rules | |
| | | 3.5.2. Class Association Rules as Features | |
| | | 3.5.3. Classification Using Normal Association Rules 9 | |
| | 3.6. | Naïve Bayesian Classification | |
| | 3.7. | Naïve Bayesian Text Classification 10 | |
| | J., . | 3.7.1. Probabilistic Framework | |
| | | 3.7.2. Naïve Bayesian Model ······ 10 | |
| | | 3.7.3. Discussion | |

| | Table of Contents | VII |
|--------|--|-----|
| 3.8. | Support Vector Machines | 109 |
| | 3.8.1. Linear SVM: Separable Case | 111 |
| | 3.8.2. Linear SVM: Non-Separable Case | |
| | 3.8.3. Nonlinear SVM: Kernel Functions | 120 |
| 3.9. | K-Nearest Neighbor Learning | 124 |
| 3.10. | Ensemble of Classifiers | 125 |
| | 3.10.1. Bagging | |
| | 3.10.2. Boosting | |
| Biblio | ographic Notes | 127 |
| Biblio | ography | 129 |
| Uns | upervised Learning | 133 |
| 4.1. | Basic Concepts | 133 |
| 4.2. | K-means Clustering | 136 |
| | 4.2.1. K-means Algorithm ····· | 136 |
| | 4.2.2. Disk Version of the K-means Algorithm | |
| | 4.2.3. Strengths and Weaknesses | 140 |
| 4.3. | Representation of Clusters | 144 |
| | 4.3.1. Common Ways of Representing Clusters | |
| | 4.3.2 Clusters of Arbitrary Shapes | |
| 4.4. | Hierarchical Clustering | |
| | 4.4.1. Single-Link Method ····· | |
| | 4.4.2. Complete-Link Method ····· | |
| | 4.4.3. Average-Link Method | |
| . – | 4.4.4. Strengths and Weaknesses | |
| 4.5. | Distance Functions | |
| | 4.5.1. Numeric Attributes | |
| | 4.5.2. Binary and Nominal Attributes | |
| | 4.5.3. Text Documents | |
| 4.6. | Data Standardization | |
| 4.7. | Handling of Mixed Attributes | 157 |
| 4.8. | Which Clustering Algorithm to Use? | 159 |
| 4.9. | Cluster Evaluation | 159 |
| 4.10. | Discovering Holes and Data Regions | 162 |
| Biblio | ographic Notes | 165 |
| Riblid | ography | 166 |

| 5. | Part | ially S | upervised Learning | 171 | | |
|----|--|--|---|---|--|--|
| | 5.1. | Learnin 5.1.1. 5.1.2. 5.1.3. 5.1.4. 5.1.5. 5.1.6. | ng from Labeled and Unlabeled Examples EM Algorithm with Naïve Bayesian Classification . Co-Training | 180 | | |
| | 5.2. | 5.2.1. 5.2.2. 5.2.3. 5.2.4. 5.2.5. 5.2.6. | ng from Positive and Unlabeled Examples Applications of PU Learning Theoretical Foundation Building Classifiers: Two-Step Approach Building Classifiers: Biased-SVM Building Classifiers: Probability Estimation Discussion | 185 187 190 197 199 201 | | |
| | Appendix: Derivation of EM for Naïve Bayesian Classification · · Bibliographic Notes · · · · · · · · · · · · · · · · · · · | | | | | |
| Pa | art II | : We | eb Mining | | | |
| 6. | Info | rmatio | n Retrieval and Web Search | 211 | | |
| | 6.1. 6.2. | Informa 6.2.1. | Concepts of Information Retrievalation Retrieval Models | 215 | | |
| | | 6.2.2. 6.2.3. | Vector Space Model ······Statistical Language Model ······ | 216 | | |
| | 6.3. | 6.2.3. | | 216 219 | | |
| | 6.3. 6.4. | 6.2.3. Releva | Statistical Language Model | 216 219 220 | | |
| | | 6.2.3. Releva Evalua | Statistical Language Model | 216 219 220 223 227 227 228 228 229 | | |

Table of Contents

IX

| | | | Problem Definition | 296 298 301 302 |
|----|--------|--|--|--|
| 8. | Web | Craw | ling | 311 |
| | 8.1. | A Basic 8.1.1. 8.1.2. | c Crawler Algorithm Breadth-First Crawlers Preferential Crawlers | 313 |
| | 8.2. | Implem 8.2.1. 8.2.2. 8.2.3. 8.2.4. 8.2.5. 8.2.6. 8.2.7. | Petching Parsing Stopword Removal and Stemming Link Extraction and Canonicalization Spider Traps Page Repository Concurrency | 315 316 318 318 320 321 |
| | 8.3. | Univers 8.3.1. 8.3.2. | sal CrawlersScalability Coverage vs Freshness vs Importance | 324 |
| | 8.4. | Focuse | ed Crawlers ····· | 327 |
| | 8.5. | Topica 8.5.1. 8.5.2. 8.5.3. | I Crawlers | 338 |
| | 8.6. | Evalua | tion ····· | 348 |
| | 8.7. | Crawle | er Ethics and Conflicts | 353 |
| | 8.8. | | New Developments | |
| | Biblio | ographic | Notes ····· | 358 |
| | Biblio | ography | · | 359 |
| 9. | Stru | ctured | Data Extraction: Wrapper Generation - | 363 |
| | 9.1 | Prelimi 9.1.1. 9.1.2. | naries Two Types of Data Rich Pages Data Model | |

| | 9.1.3. | HTML Mark-Up Encoding of Data Instances | 368 |
|--------|---------|--|-----|
| 9.2. | Wrapp | er Induction | |
| | 9.2.1. | Extraction from a Page | |
| | 9.2.2. | Learning Extraction Rules | |
| | 9.2.3. | Identifying Informative Examples | 377 |
| | 9.2.4. | Wrapper Maintenance | 378 |
| 9.3. | Instand | ce-Based Wrapper Learning | 378 |
| 9.4. | Autom | atic Wrapper Generation: Problems | 381 |
| | 9.4.1. | Two Extraction Problems | |
| | 9.4.2. | Patterns as Regular Expressions | 383 |
| 9.5. | String | Matching and Tree Matching | 384 |
| | 9.5.1. | String Edit Distance | |
| | 9.5.2. | Tree Matching | 386 |
| 9.6. | Multipl | e Alignment ······ | 390 |
| | 9.6.1. | | |
| | 9.6.2. | • | |
| 9.7. | Buildin | g DOM Trees ····· | 396 |
| 9.8. | Extrac | tion Based on a Single List Page: | |
| | | ata Records | 397 |
| | 9.8.1. | Two Observations about Data Records | 398 |
| | 9.8.2. | Mining Data Regions | |
| | 9.8.3. | Identifying Data Records in Data Regions | |
| | 9.8.4. | Data Item Alignment and Extraction | |
| | 9.8.5. | Making Use of Visual Information | 406 |
| | 9.8.6. | Some Other Techniques | 406 |
| 9.9. | | tion Based on a Single List Page: | |
| | | d Data Records | |
| 9.10. | | tion Based on Multiple Pages | |
| | 9.10.1. | Using Techniques in Previous Sections | 413 |
| | | RoadRunner Algorithm | |
| 9.11. | | Other Issues | |
| | | Extraction from Other Pages ····· | |
| | | Disjunction or Optional | |
| | 9.11.3. | A Set Type or a Tuple Type | 417 |
| | | Labeling and Integration | |
| | | Domain Specific Extraction | |
| | | sion | 419 |
| | | c Notes | 419 |
| Biblio | ography | <i>/</i> | 421 |

| 10. | Infor | mation Integration ······ | 425 |
|-----|--------|--|-----|
| | 10.1. | Introduction to Schema Matching | 426 |
| | 10.2. | Pre-Processing for Schema Matching | 428 |
| | 10.3. | Schema-Level Match | |
| | | 10.3.1. Linguistic Approaches ······ | |
| | | 10.3.2. Constraint Based Approaches | |
| | 10.4. | Domain and Instance-Level Matching | |
| | 10.5. | Combining Similarities | |
| | 10.6. | 1:m Match ····· | 435 |
| | 10.7. | Some Other Issues | |
| | | 10.7.1. Reuse of Previous Match Results | |
| | | 10.7.2. Matching a Large Number of Schemas | |
| | | 10.7.3 Schema Match Results ····· | |
| | | 10.7.4 User Interactions | |
| | 10.8. | Integration of Web Query Interfaces | |
| | | 10.8.1. A Clustering Based Approach | 441 |
| | | 10.8.2. A Correlation Based Approach | 444 |
| | 10.9. | Constructing a Unified Global Query Interface | |
| | 10.3. | 10.9.1. Structural Appropriateness and the | 430 |
| | | Merge Algorithm | 450 |
| | | 10.9.2. Lexical Appropriateness | 452 |
| | | 10.9.3. Instance Appropriateness | 453 |
| | Biblio | graphic Notes | 454 |
| | Biblio | graphy ····· | 455 |
| | | | |
| 11. | Opin | ion Mining and Sentiment Analysis | 459 |
| | 11.1. | The Problem of Opinion Mining | 460 |
| | | 11.1.1. Problem Definitions | 460 |
| | | 11.1.2. Aspect-Based Opinion Summary | 467 |
| | 11.2. | Document Sentiment Classification | |
| | | 11.2.1. Classification Based on Supervised Learning \cdots | |
| | | 11.2.2. Classification Based on Unsupervised Learning · | |
| | 11.3. | Sentence Subjectivity and Sentiment Classification - | |
| | 11.4. | ' | |
| | 11.5. | Aspect-Based Opinion Mining | 480 |
| | | 11.5.1. Aspect Sentiment Classification | 481 |

| | | Table of Contents | XIII |
|-----|--------|---|------|
| | | 11.5.2. Basic Rules of Opinions | |
| | | and Aspect Extraction | 490 |
| | 11.6. | Mining Comparative Opinions | 493 |
| | | 11.6.1. Problem Definitions | |
| | | 11.6.2. Identification of Comparative Sentences | |
| | 44 7 | 11.6.3. Identification of Preferred Entities | |
| | | Some Other Problems | |
| | | Opinion Search and Retrieval | |
| | 11.9. | Opinion Spam Detection | |
| | | 11.9.1. Types of Spam and Spammers | 506 |
| | | 11.9.3. Spam Detection Based on Supervised Learning | |
| | | 11.9.4. Spam Detection Based on Abnormal Behaviors. | |
| | | 11.9.5. Group Spam Detection | |
| | 11.10 | .Utility of Reviews | 514 |
| | Biblio | graphic Notes | 515 |
| | Biblio | graphy | 517 |
| 12. | Web | Usage Mining | 527 |
| | 12.1. | Data Collection and Pre-Processing | 528 |
| | | 12.1.1. Sources and Types of Data | |
| | | 12.1.2. Key Elements of Web Usage Data | |
| | | Pre-Processing ····· | |
| | 12.2. | Data Modeling for Web Usage Mining | 540 |
| | 12.3. | Discovery and Analysis of Web Usage Patterns | |
| | | 12.3.1. Session and Visitor Analysis | |
| | | 12.3.2. Cluster Analysis and Visitor Segmentation | |
| | | 12.3.3. Association and Correlation Analysis12.3.4. Analysis of Sequential and Navigational Patterns | |
| | | 12.3.5. Classification and Prediction Based on Web User Transactions | |
| | 12.4. | | 555 |
| | 14.4. | 12.4.1. The Problem of Recommendation | |
| | | 12.4.2. Content-Based Recommendation ······· | |
| | | 12.4.3. Collaborative Filtering: K-Nearest Neighbor | |
| | | | |
| | | 12.4.4. Collaborative Filtering: Using Association Rules • 12.4.5. Collaborative Filtering: Matrix Factorization ······ | |

XIV Table of Contents

| 12.5. Query Log Mining | . 571 |
|--|-------|
| 12.5.1. Data Sources, Characteristics and Challenges · | . 573 |
| 12.5.2. Query Log Data Preparation | . 575 |
| 12.5.3. Query Log Data Models ····· | • 577 |
| 12.5.4. Query Log Feature Extraction | · 582 |
| 12.5.5. Query Log Mining Applications | · 583 |
| 12.5.6. Query Log Mining Methods ····· | · 586 |
| 12.6. Computational Advertising | - 589 |
| 12.7. Discussion and Outlook | · 593 |
| Bibliographic Notes | - 593 |
| Bibliography ····· | 595 |
| Subject Index | . 605 |