Recommender Models in Create ML

Hiking Journal Hardtrail Mountain \star **Aspen Valley Pleasant Cove**

Hiking Journal Hardtrail Mountain



Aspen Valley





Pleasant Cove



For You:



Rocky Peak



Cactus Ridge

9:4



Math Practice

Results:

$$4 + 4 = 8$$

Correct

$$7 + 7 = 14$$

Correct

$$5 \times 3 = 15$$

Correct

$$6 \times 2 = 14$$

Incorrect

Next Question:

$$6 \times 5 = ?$$

ııll 🗢 📟 Shopping List Chocoloate Chips All-Purpose Flour Vanilla Extract Butter

.ııl ≎ 📟

Shopping List


- Chocoloate Chips
- All-Purpose Flour
- Vanilla Extract
- Butter

Did you forget something?

Eggs

Baking Powder

Sugar



Data

Frannie's Famous Garlic Chicken

1/4 cup oliv 8 cloves ga 1/4 cup Ital 1/4 cup gra 4 skinless,

Homemade Wheat Bread

3 cups wa 2 pkg. acti 1/3 cup ho 5 cups bre 3 Tbs. but 1 Tbs. salt 3 1/2 cup. 2 Tbs. but

Mom's Favorite Chocolate Chip Cookies

1 cup (2 sticks) unsalted butter, softened 3/4 cup light brown sugar 3/4 cup granulated sugar, fine 2 large eggs, room temperature 1 tsp vanilla extract 2 1/2 cups all-purpose flour 1 tsp baking soda 1/2 tsp salt 1 1/2 bag (18 oz.) bittersweet chocolate chips

Recipe	Ingredient		
Bread	Flour		
Bread	Water		
Bread	Yeast		
Cookies	Flour		
Cookies	Sugar		
Cookies	Chocolate chips		
Garlic Chicken	Bread crumbs		
Garlic Chicken	Garlic		
Garlic Chicken	Chicken		
•••	•••		

Recipe	Ingredient
Bread	Flour
Bread	Water
Bread	Yeast
Cookies	Flour
Cookies	Sugar
Cookies	Chocolate chips
Garlic Chicken	Bread crumbs
Garlic Chicken	Garlic
Garlic Chicken	Chicken
•••	•••

Item Column

Recipe	Ingredient		
Bread	Flour		
Bread	Water		
Bread	Yeast		
Cookies	Flour		
Cookies	Sugar		
Cookies	Chocolate chips		
Garlic Chicken	Bread crumbs		
Garlic Chicken	Garlic		
Garlic Chicken	Chicken		
•••	•••		

Session ID	Problem	
	4+8	
	7 + 7	
	5 + 3	
1	8 x 9	
1	7 - 1	
2	2^(-1)	
2	(-1)^(-1)	
2	(8 - 3) x 4 ²	
2	223 / 100	
•••	•••	

Session ID	Problem		
0	4 + 8		
0	7 + 7		
	5 + 3		
	8 x 9		
	7 - 1		
2	2^(-1)		
2	(-1)^(-1)		
2	(8 - 3) x 4 ²		
2	223 / 100		
•••	•••		

Item Column

Session ID	Problem		
0	4+8		
0	7 + 7		
1	5+3		
	8 x 9		
1	7 - 1		
2	2^(-1)		
2	(-1)^(-1)		
2	(8 - 3) x 4 ²		
2	223 / 100		
•••	•••		

Group Column	Item Column	Rating Column
Session ID	Problem	Correct
	4+8	
	7 + 7	
	5 + 3	
	8 x 9	1
1	7 - 1	1
2	2^(-1)	
2	(-1)^(-1)	
2	(8 - 3) x 4 ²	
2	223 / 100	
• • •	•••	•••

Hiker	Trail	Rating
Tao	Granite Mountain	4
Tao	Ocean Views	5
Tao	Sandy Bluffs	2
Yuxin	Desert Basin	3
Yuxin	Hardtrail Mountain	5
Hoyt	Cactus Ridge	3
Hoyt	Sandy Bluffs	4
Hoyt	Hardtrail Mountain	3
Hoyt	Granite Mountain	5
•••	•••	• • •

Hiker	Trail	Rating
Tao	Granite Mountain	4
Tao	Ocean Views	5
Tao	Sandy Bluffs	2
Yuxin	Desert Basin	3
Yuxin	Hardtrail Mountain	5
Hoyt	Cactus Ridge	3
Hoyt	Sandy Bluffs	4
Hoyt	Hardtrail Mountain	3
Hoyt	Granite Mountain	5
•••	•••	• • •

Item Column

Hiker	Trail	Rating
Tao	Granite Mountain	4
Tao	Ocean Views	5
Tao	Sandy Bluffs	2
Yuxin	Desert Basin	3
Yuxin	Hardtrail Mountain	5
Hoyt	Cactus Ridge	3
Hoyt	Sandy Bluffs	4
Hoyt	Hardtrail Mountain	3
Hoyt	Granite Mountain	5
•••	•••	•••


Group Column	Item Column	Rating Column
Hiker	Trail	Rating
Tao	Granite Mountain	4
Tao	Ocean Views	5
Tao	Sandy Bluffs	2
Yuxin	Desert Basin	3
Yuxin	Hardtrail Mountain	5
Hoyt	Cactus Ridge	3
Hoyt	Sandy Bluffs	4
Hoyt	Hardtrail Mountain	3
Hoyt	Granite Mountain	5
• • •	• • •	•••

Trail	Rating
Granite Mountain	4
Cactus Ridge	3
Rocky Peak	4
Aspen Valley	5

Trail	Rating
Granite Mountain	4
Cactus Ridge	3
Rocky Peak	4
Aspen Valley	5



Model






Model

**** Recommendations




Hiking recommendations

Recommender in Three Steps




Data

Recommender in Three Steps



Recommender in Three Steps

















Hikers give these similar ratings


Hikers give these different ratings








Hikers give these similar ratings







Model



```
Load the hiking data
let trainingData = try MLDataTable(contentsOf: hikingTrainCSV)
// Train the recommender
let model = try MLRecommender(trainingData: trainingData,
                              userColumn: "Hiker ID",
                              itemColumn: "Trail ID",
                              ratingColumn: "Rating")
  Evaluate the model
let testingData = try MLDataTable(contentsOf: hikingTestCSV)
let metrics = model.evaluation(on: testingData)
// Write out the Core ML model
try model.write(to: writeToPath)
```

```
Load the hiking data
let trainingData = try MLDataTable(contentsOf: hikingTrainCSV)
  Train the recommender
let model = try MLRecommender(trainingData: trainingData,
                              userColumn: "Hiker ID",
                              itemColumn: "Trail ID",
                              ratingColumn: "Rating")
  Evaluate the model
let testingData = try MLDataTable(contentsOf: hikingTestCSV)
let metrics = model.evaluation(on: testingData)
```

// Write out the Core ML model

try model.write(to: writeToPath)

```
Load the hiking data
let trainingData = try MLDataTable(contentsOf: hikingTrainCSV)
// Train the recommender
let model = try MLRecommender(trainingData: trainingData,
                              userColumn: "Hiker ID",
                              itemColumn: "Trail ID",
                              ratingColumn: "Rating")
  Evaluate the model
let testingData = try MLDataTable(contentsOf: hikingTestCSV)
let metrics = model.evaluation(on: testingData)
  Write out the Core ML model
```

try model.write(to: writeToPath)

```
Load the hiking data
let trainingData = try MLDataTable(contentsOf: hikingTrainCSV)
// Train the recommender
let model = try MLRecommender(trainingData: trainingData,
                              userColumn: "Hiker ID",
                              itemColumn: "Trail ID",
                              ratingColumn: "Rating")
  Evaluate the model
let testingData = try MLDataTable(contentsOf: hikingTestCSV)
let metrics = model.evaluation(on: testingData)
// Write out the Core ML model
try model.write(to: writeToPath)
```

```
// Track the items we want to query in the model.
let hikes : [String : Double] = ["Granite Peak" : 5, "Wildflower Meadows" : 4]

// Query for a set number of recommendations
let input = HikingRouteRecommenderInput(items: hikes, k: 5)

// Get results as sequence of recommended items
```

let results = try model.prediction(input: input)

```
// Track the items we want to query in the model.
let hikes : [String : Double] = ["Granite Peak" : 5, "Wildflower Meadows" : 4]

// Query for a set number of recommendations
let input = HikingRouteRecommenderInput(items: hikes, k: 5)

// Get results as sequence of recommended items
```

let results = try model.prediction(input: input)

```
// Track the items we want to query in the model.
let hikes : [String : Double] = ["Granite Peak" : 5, "Wildflower Meadows" : 4]

// Query for a set number of recommendations
let input = HikingRouteRecommenderInput(items: hikes, k: 5)

// Get results as sequence of recommended items
let results = try model.prediction(input: input)
```

Models are flexible

Models are flexible

On-device, offline

Models are flexible


On-device, offline

Privacy preserving

Summary







Text Classification

Activity Classification

Recommender

More Information

developer.apple.com/wwdc19/427

Machine Learning Lab

ÓWWDC19