



MARYLAND DEPARTMENT OF THE ENVIRONMENT

Lead Poisoning Prevention Program

Childhood Blood Lead Surveillance in Maryland

Annual Report 2013

Lead Poisoning Prevention Program: Childhood Lead Registry
Number and percentage of children 0-72 months old tested for lead, with number and percentage of new (incident) and existing (prevalent) cases of blood lead level ≥ 10 $\mu\text{g/dL}$ and blood lead level 5-9 $\mu\text{g/dL}$ by county of residence (2004-2013)

Supplementary Data Tables: Supplement # 4



July, 2014

MARYLAND DEPARTMENT OF THE ENVIRONMENT

Lead Poisoning Prevention Program: Childhood Lead Registry

Number and percentage of children 0-72 months old tested for lead, with number and percentage of new (incident) and existing (prevalent) cases of blood lead level $\geq 10 \mu\text{g/dL}$ and blood lead level 5-9 $\mu\text{g/dL}$ by county of residence

Allegany County

Calendar Year	Population of Children	Children Tested		Blood Lead Level $\geq 10 \mu\text{g/dL}$			
		Number	Percent	Prevalence Cases		Incidence Cases	
				Number	Percent	Number	Percent
2004	4,747	1,329	28.0	24	1.8		
2005	4,821	1,037	21.5	32	3.1	25	2.4
2006	4,904	1,172	23.9	22	1.9	17	1.5
2007	4,957	1,231	24.8	12	1.0	11	0.9
2008	4,966	1,323	26.6	11	0.8	8	0.6
2009	5,007	1,371	27.4	15	1.1	13	0.9
2010	5,141	1,332	25.9	10	0.8	7	0.5
2011	4,766	1,359	28.5	9	0.7	5	0.4
2012	4,853	1,320	27.2	12	0.9	8	0.6
2013	4,939	1,210	24.5	5	0.4	4	0.3

Calendar Year	Population of Children	Children Tested		Blood Lead Level 5-9 $\mu\text{g/dL}$			
		Number	Percent	Prevalence Cases		Incidence Cases	
				Number	Percent	Number	Percent
2004	4,747	1,329	28.0	228	17.2		
2005	4,821	1,037	21.5	124	12.0		
2006	4,904	1,172	23.9	165	14.1		
2007	4,957	1,231	24.8	151	12.3		
2008	4,966	1,323	26.6	135	10.2		
2009	5,007	1,371	27.4	90	6.6		
2010	5,141	1,332	25.9	75	5.6		
2011	4,766	1,359	28.5	51	3.8		
2012	4,853	1,320	27.2	54	4.1	40	3.0
2013	4,939	1,210	24.5	60	5.0	40	3.3

Refer to page 27 for notes and explanations.

MARYLAND DEPARTMENT OF THE ENVIRONMENT

Lead Poisoning Prevention Program: Childhood Lead Registry

Number and percentage of children 0-72 months old tested for lead, with number and percentage of new (incident) and existing (prevalent) cases of blood lead level ≥ 10 $\mu\text{g/dL}$ and blood lead level 5-9 $\mu\text{g/dL}$ by county of residence

Anne Arundel County

Calendar Year	Population of Children	Children Tested		Blood Lead Level ≥ 10 $\mu\text{g/dL}$			
		Number	Percent	Prevalence Cases		Incidence Cases	
				Number	Percent	Number	Percent
2004	41,895	6,806	16.2	27	0.4		
2005	42,575	6,631	15.6	20	0.3	18	0.3
2006	43,306	6,422	14.8	20	0.3	16	0.2
2007	43,779	6,615	15.1	19	0.3	16	0.2
2008	44,090	6,817	15.5	7	0.1	6	0.1
2009	44,471	7,333	16.5	7	0.1	5	0.1
2010	45,643	7,982	17.5	14	0.2	12	0.2
2011	47,391	8,162	17.2	8	0.1	7	0.1
2012	48,260	8,338	17.3	5	0.1	5	0.1
2013	49,109	8,294	16.9	10	0.1	10	0.1

Calendar Year	Population of Children	Children Tested		Blood Lead Level 5-9 $\mu\text{g/dL}$			
		Number	Percent	Prevalence Cases		Incidence Cases	
				Number	Percent	Number	Percent
2004	41,895	6,806	16.2	310	4.6		
2005	42,575	6,631	15.6	227	3.4		
2006	43,306	6,422	14.8	262	4.1		
2007	43,779	6,615	15.1	170	2.6		
2008	44,090	6,817	15.5	123	1.8		
2009	44,471	7,333	16.5	129	1.8		
2010	45,643	7,982	17.5	79	1.0		
2011	47,391	8,162	17.2	75	0.9		
2012	48,260	8,338	17.3	74	0.9	64	0.8
2013	49,109	8,294	16.9	77	0.9	68	0.8

Refer to page 27 for notes and explanations.

MARYLAND DEPARTMENT OF THE ENVIRONMENT

Lead Poisoning Prevention Program: Childhood Lead Registry

Number and percentage of children 0-72 months old tested for lead, with number and percentage of new (incident) and existing (prevalent) cases of blood lead level ≥ 10 $\mu\text{g/dL}$ and blood lead level 5-9 $\mu\text{g/dL}$ by county of residence

Baltimore County

Calendar Year	Population of Children	Children Tested		Blood Lead Level ≥ 10 $\mu\text{g/dL}$			
		Number	Percent	Prevalence Cases		Incidence Cases	
				Number	Percent	Number	Percent
2004	57,205	14,947	26.1	108	0.7		
2005	58,150	14,505	24.9	110	0.8	84	0.6
2006	59,148	15,344	25.9	85	0.6	69	0.4
2007	59,794	16,255	27.2	62	0.4	52	0.3
2008	60,547	15,837	26.2	36	0.2	31	0.2
2009	61,053	16,139	26.4	28	0.2	21	0.1
2010	62,670	16,732	26.7	34	0.2	25	0.1
2011	66,014	16,375	24.8	26	0.2	19	0.1
2012	67,225	16,329	24.3	34	0.2	26	0.2
2013	68,408	16,549	24.2	31	0.2	25	0.2

Calendar Year	Population of Children	Children Tested		Blood Lead Level 5-9 $\mu\text{g/dL}$			
		Number	Percent	Prevalence Cases		Incidence Cases	
				Number	Percent	Number	Percent
2004	57,205	14,947	26.1	1,052	7.0		
2005	58,150	14,505	24.9	742	5.1		
2006	59,148	15,344	25.9	955	6.2		
2007	59,794	16,255	27.2	842	5.2		
2008	60,547	15,837	26.2	483	3.0		
2009	61,053	16,139	26.4	465	2.9		
2010	62,670	16,732	26.7	301	1.8		
2011	66,014	16,375	24.8	288	1.8		
2012	67,225	16,329	24.3	202	1.2	174	1.1
2013	68,408	16,549	24.2	229	1.4	200	1.2

Refer to page 27 for notes and explanations.

MARYLAND DEPARTMENT OF THE ENVIRONMENT

Lead Poisoning Prevention Program: Childhood Lead Registry

Number and percentage of children 0-72 months old tested for lead, with number and percentage of new (incident) and existing (prevalent) cases of blood lead level ≥ 10 $\mu\text{g/dL}$ and blood lead level 5-9 $\mu\text{g/dL}$ by county of residence

Baltimore city

Calendar Year	Population of Children	Children Tested		Blood Lead Level ≥ 10 $\mu\text{g/dL}$			
		Number	Percent	Prevalence Cases		Incidence Cases	
				Number	Percent	Number	Percent
2004	52,796	18,970	35.9	1,183	6.2		
2005	53,626	17,943	33.5	854	4.8	534	3.0
2006	54,547	18,363	33.7	843	4.6	573	3.1
2007	55,142	17,670	32.0	624	3.5	435	2.5
2008	55,959	18,623	33.3	468	2.5	302	1.6
2009	56,431	19,043	33.7	347	1.8	214	1.1
2010	57,937	19,702	34.0	314	1.6	229	1.2
2011	55,681	19,049	34.2	258	1.4	182	1.0
2012	56,701	18,717	33.0	219	1.2	148	0.8
2013	57,693	18,535	32.1	218	1.2	170	0.9

Calendar Year	Population of Children	Children Tested		Blood Lead Level 5-9 $\mu\text{g/dL}$			
		Number	Percent	Prevalence Cases		Incidence Cases	
				Number	Percent	Number	Percent
2004	52,796	18,970	35.9	4,479	23.6		
2005	53,626	17,943	33.5	3,426	19.1		
2006	54,547	18,363	33.7	3,753	20.4		
2007	55,142	17,670	32.0	3,214	18.2		
2008	55,959	18,623	33.3	2,551	13.7		
2009	56,431	19,043	33.7	2,254	11.8		
2010	57,937	19,702	34.0	1,764	9.0		
2011	55,681	19,049	34.2	1,436	7.5		
2012	56,701	18,717	33.0	1,224	6.5	800	4.3
2013	57,693	18,535	32.1	1,130	6.1	744	4.0

Refer to page 27 for notes and explanations.

MARYLAND DEPARTMENT OF THE ENVIRONMENT

Lead Poisoning Prevention Program: Childhood Lead Registry

Number and percentage of children 0-72 months old tested for lead, with number and percentage of new (incident) and existing (prevalent) cases of blood lead level ≥ 10 $\mu\text{g/dL}$ and blood lead level 5-9 $\mu\text{g/dL}$ by county of residence

Calvert County

Calendar Year	Population of Children	Children Tested		Blood Lead Level ≥ 10 $\mu\text{g/dL}$			
		Number	Percent	Prevalence Cases		Incidence Cases	
				Number	Percent	Number	Percent
2004	6,504	838	12.9	0	0.0		
2005	6,623	753	11.4	7	0.9	6	0.8
2006	6,737	749	11.1	9	1.2	9	1.2
2007	6,810	785	11.5	1	0.1	1	0.1
2008	6,864	768	11.2	0	0.0	0	0.0
2009	6,920	698	10.1	1	0.1	1	0.1
2010	7,103	717	10.1	1	0.1	1	0.1
2011	7,030	778	11.1	0	0.0	0	0.0
2012	7,159	715	10.0	1	0.1	1	0.1
2013	7,286	635	8.7	0	0.0	0	0.0

Calendar Year	Population of Children	Children Tested		Blood Lead Level 5-9 $\mu\text{g/dL}$			
		Number	Percent	Prevalence Cases		Incidence Cases	
				Number	Percent	Number	Percent
2004	6,504	838	12.9	44	5.3		
2005	6,623	753	11.4	23	3.1		
2006	6,737	749	11.1	60	8.0		
2007	6,810	785	11.5	33	4.2		
2008	6,864	768	11.2	17	2.2		
2009	6,920	698	10.1	19	2.7		
2010	7,103	717	10.1	16	2.2		
2011	7,030	778	11.1	14	1.8		
2012	7,159	715	10.0	7	1.0	7	1.0
2013	7,286	635	8.7	5	0.8	5	0.8

Refer to page 27 for notes and explanations.

MARYLAND DEPARTMENT OF THE ENVIRONMENT

Lead Poisoning Prevention Program: Childhood Lead Registry

Number and percentage of children 0-72 months old tested for lead, with number and percentage of new (incident) and existing (prevalent) cases of blood lead level ≥ 10 $\mu\text{g/dL}$ and blood lead level 5-9 $\mu\text{g/dL}$ by county of residence

Caroline County

Calendar Year	Population of Children	Children Tested		Blood Lead Level ≥ 10 $\mu\text{g/dL}$			
				Prevalence Cases		Incidence Cases	
		Number	Percent	Number	Percent	Number	Percent
2004	2,379	794	33.4	17	2.1		
2005	2,422	849	35.1	11	1.3	10	1.2
2006	2,463	893	36.3	7	0.8	3	0.3
2007	2,490	856	34.4	8	0.9	5	0.6
2008	2,497	852	34.1	7	0.8	3	0.4
2009	2,516	839	33.3	7	0.8	5	0.6
2010	2,584	870	33.7	9	1.0	6	0.7
2011	3,176	751	23.6	4	0.5	3	0.4
2012	3,234	773	23.9	2	0.3	2	0.3
2013	3,291	681	20.7	5	0.7	5	0.7

Calendar Year	Population of Children	Children Tested		Blood Lead Level 5-9 $\mu\text{g/dL}$			
				Prevalence Cases		Incidence Cases	
		Number	Percent	Number	Percent	Number	Percent
2004	2,379	794	33.4	136	17.1		
2005	2,422	849	35.1	93	11.0		
2006	2,463	893	36.3	90	10.1		
2007	2,490	856	34.4	55	6.4		
2008	2,497	852	34.1	46	5.4		
2009	2,516	839	33.3	47	5.6		
2010	2,584	870	33.7	42	4.8		
2011	3,176	751	23.6	21	2.8		
2012	3,234	773	23.9	14	1.8	13	1.7
2013	3,291	681	20.7	15	2.2	10	1.5

Refer to page 27 for notes and explanations.

MARYLAND DEPARTMENT OF THE ENVIRONMENT

Lead Poisoning Prevention Program: Childhood Lead Registry

Number and percentage of children 0-72 months old tested for lead, with number and percentage of new (incident) and existing (prevalent) cases of blood lead level ≥ 10 $\mu\text{g/dL}$ and blood lead level 5-9 $\mu\text{g/dL}$ by county of residence

Carroll County

Calendar Year	Population of Children	Children Tested		Blood Lead Level ≥ 10 $\mu\text{g/dL}$			
		Number	Percent	Prevalence Cases		Incidence Cases	
				Number	Percent	Number	Percent
2004	12,938	1,323	10.2	13	1.0		
2005	13,173	1,460	11.1	5	0.3	3	0.2
2006	13,400	1,378	10.3	7	0.5	5	0.4
2007	13,546	1,404	10.4	3	0.2	0	0.0
2008	13,872	1,343	9.7	8	0.6	0	0.0
2009	13,988	1,342	9.6	7	0.5	0	0.0
2010	14,356	1,368	9.5	7	0.5	0	0.0
2011	12,811	1,287	10.0	14	1.1	0	0.0
2012	13,047	1,247	9.6	4	0.3	1	0.1
2013	13,279	1,322	10.0	9	0.7	7	0.5

Calendar Year	Population of Children	Children Tested		Blood Lead Level 5-9 $\mu\text{g/dL}$			
		Number	Percent	Prevalence Cases		Incidence Cases	
				Number	Percent	Number	Percent
2004	12,938	1,323	10.2	93	7.0		
2005	13,173	1,460	11.1	78	5.3		
2006	13,400	1,378	10.3	94	6.8		
2007	13,546	1,404	10.4	69	4.9		
2008	13,872	1,343	9.7	41	3.1		
2009	13,988	1,342	9.6	45	3.4		
2010	14,356	1,368	9.5	43	3.1		
2011	12,811	1,287	10.0	26	2.0		
2012	13,047	1,247	9.6	27	2.2	18	1.4
2013	13,279	1,322	10.0	22	1.7	17	1.3

Refer to page 27 for notes and explanations.

MARYLAND DEPARTMENT OF THE ENVIRONMENT

Lead Poisoning Prevention Program: Childhood Lead Registry

Number and percentage of children 0-72 months old tested for lead, with number and percentage of new (incident) and existing (prevalent) cases of blood lead level ≥ 10 $\mu\text{g/dL}$ and blood lead level 5-9 $\mu\text{g/dL}$ by county of residence

Cecil County

Calendar Year	Population of Children	Children Tested		Blood Lead Level ≥ 10 $\mu\text{g/dL}$			
				Prevalence Cases		Incidence Cases	
		Number	Percent	Number	Percent	Number	Percent
2004	7,548	1,073	14.2	6	0.6		
2005	7,677	1,046	13.6	7	0.7	6	0.6
2006	7,808	1,058	13.6	6	0.6	6	0.6
2007	7,894	1,186	15.0	6	0.5	4	0.3
2008	7,965	1,265	15.9	6	0.5	4	0.3
2009	8,030	1,212	15.1	4	0.3	2	0.2
2010	8,245	1,302	15.8	1	0.1	0	0.0
2011	8,884	1,132	12.7	1	0.1	1	0.1
2012	9,047	1,221	13.5	0	0.0	0	0.0
2013	9,206	1,503	16.3	4	0.3	4	0.3

Calendar Year	Population of Children	Children Tested		Blood Lead Level 5-9 $\mu\text{g/dL}$			
				Prevalence Cases		Incidence Cases	
		Number	Percent	Number	Percent	Number	Percent
2004	7,548	1,073	14.2	87	8.1		
2005	7,677	1,046	13.6	65	6.2		
2006	7,808	1,058	13.6	104	9.8		
2007	7,894	1,186	15.0	59	5.0		
2008	7,965	1,265	15.9	42	3.3		
2009	8,030	1,212	15.1	39	3.2		
2010	8,245	1,302	15.8	21	1.6		
2011	8,884	1,132	12.7	17	1.5		
2012	9,047	1,221	13.5	14	1.1	12	1.0
2013	9,206	1,503	16.3	21	1.4	19	1.3

Refer to page 27 for notes and explanations.

MARYLAND DEPARTMENT OF THE ENVIRONMENT

Lead Poisoning Prevention Program: Childhood Lead Registry

Number and percentage of children 0-72 months old tested for lead, with number and percentage of new (incident) and existing (prevalent) cases of blood lead level ≥ 10 $\mu\text{g/dL}$ and blood lead level 5-9 $\mu\text{g/dL}$ by county of residence

Charles County

Calendar Year	Population of Children	Children Tested		Blood Lead Level ≥ 10 $\mu\text{g/dL}$			
		Number	Percent	Prevalence Cases		Incidence Cases	
				Number	Percent	Number	Percent
2004	11,019	2,040	18.5	9	0.4		
2005	11,212	1,811	16.2	7	0.4	6	0.3
2006	11,404	1,919	16.8	1	0.1	1	0.1
2007	11,529	1,999	17.3	1	0.1	1	0.1
2008	12,001	2,032	16.9	1	0.0	1	0.0
2009	12,101	1,836	15.2	4	0.2	4	0.2
2010	12,418	2,042	16.4	2	0.1	2	0.1
2011	13,015	1,904	14.6	1	0.1	1	0.1
2012	13,254	1,963	14.8	3	0.2	3	0.2
2013	13,488	2,146	15.9	4	0.2	2	0.1

Calendar Year	Population of Children	Children Tested		Blood Lead Level 5-9 $\mu\text{g/dL}$			
		Number	Percent	Prevalence Cases		Incidence Cases	
				Number	Percent	Number	Percent
2004	11,019	2,040	18.5	110	5.4		
2005	11,212	1,811	16.2	71	3.9		
2006	11,404	1,919	16.8	96	5.0		
2007	11,529	1,999	17.3	60	3.0		
2008	12,001	2,032	16.9	34	1.7		
2009	12,101	1,836	15.2	20	1.1		
2010	12,418	2,042	16.4	25	1.2		
2011	13,015	1,904	14.6	15	0.8		
2012	13,254	1,963	14.8	12	0.6	11	0.6
2013	13,488	2,146	15.9	27	1.3	26	1.2

Refer to page 27 for notes and explanations.

MARYLAND DEPARTMENT OF THE ENVIRONMENT

Lead Poisoning Prevention Program: Childhood Lead Registry

Number and percentage of children 0-72 months old tested for lead, with number and percentage of new (incident) and existing (prevalent) cases of blood lead level ≥ 10 $\mu\text{g/dL}$ and blood lead level 5-9 $\mu\text{g/dL}$ by county of residence

Dorchester County

Calendar Year	Population of Children	Children Tested		Blood Lead Level ≥ 10 $\mu\text{g/dL}$			
		Number	Percent	Prevalence Cases		Incidence Cases	
				Number	Percent	Number	Percent
2004	2,106	629	29.9	17	2.7		
2005	2,141	609	28.4	11	1.8	8	1.3
2006	2,177	684	31.4	11	1.6	8	1.2
2007	2,201	676	30.7	9	1.3	7	1.0
2008	2,266	680	30.0	9	1.3	5	0.7
2009	2,287	730	31.9	3	0.4	2	0.3
2010	2,346	774	33.0	5	0.6	4	0.5
2011	2,747	681	24.8	1	0.1	0	0.0
2012	2,797	694	24.8	1	0.1	1	0.1
2013	2,846	676	23.7	1	0.1	1	0.1

Calendar Year	Population of Children	Children Tested		Blood Lead Level 5-9 $\mu\text{g/dL}$			
		Number	Percent	Prevalence Cases		Incidence Cases	
				Number	Percent	Number	Percent
2004	2,106	629	29.9	125	19.9		
2005	2,141	609	28.4	94	15.4		
2006	2,177	684	31.4	107	15.6		
2007	2,201	676	30.7	60	8.9		
2008	2,266	680	30.0	45	6.6		
2009	2,287	730	31.9	47	6.4		
2010	2,346	774	33.0	29	3.7		
2011	2,747	681	24.8	12	1.8		
2012	2,797	694	24.8	18	2.6	15	2.2
2013	2,846	676	23.7	15	2.2	13	1.9

Refer to page 27 for notes and explanations.

MARYLAND DEPARTMENT OF THE ENVIRONMENT

Lead Poisoning Prevention Program: Childhood Lead Registry

Number and percentage of children 0-72 months old tested for lead, with number and percentage of new (incident) and existing (prevalent) cases of blood lead level ≥ 10 $\mu\text{g/dL}$ and blood lead level 5-9 $\mu\text{g/dL}$ by county of residence

Frederick County

Calendar Year	Population of Children	Children Tested		Blood Lead Level ≥ 10 $\mu\text{g/dL}$			
				Prevalence Cases		Incidence Cases	
		Number	Percent	Number	Percent	Number	Percent
2004	17,865	2,796	15.7	22	0.8		
2005	18,172	3,019	16.6	14	0.5	11	0.4
2006	18,484	3,108	16.8	10	0.3	7	0.2
2007	18,686	3,465	18.5	10	0.3	10	0.3
2008	19,184	3,376	17.6	16	0.5	13	0.4
2009	19,349	3,181	16.4	11	0.3	7	0.2
2010	19,859	3,147	15.8	9	0.3	8	0.3
2011	20,597	3,241	15.7	12	0.4	7	0.2
2012	20,976	3,039	14.5	7	0.2	3	0.1
2013	21,347	2,973	13.9	8	0.3	5	0.2

Calendar Year	Population of Children	Children Tested		Blood Lead Level 5-9 $\mu\text{g/dL}$			
				Prevalence Cases		Incidence Cases	
		Number	Percent	Number	Percent	Number	Percent
2004	17,865	2,796	15.7	143	5.1		
2005	18,172	3,019	16.6	105	3.5		
2006	18,484	3,108	16.8	121	3.9		
2007	18,686	3,465	18.5	101	2.9		
2008	19,184	3,376	17.6	74	2.2		
2009	19,349	3,181	16.4	69	2.2		
2010	19,859	3,147	15.8	43	1.4		
2011	20,597	3,241	15.7	46	1.4		
2012	20,976	3,039	14.5	26	0.9	23	0.8
2013	21,347	2,973	13.9	27	0.9	25	0.8

Refer to page 27 for notes and explanations.

MARYLAND DEPARTMENT OF THE ENVIRONMENT

Lead Poisoning Prevention Program: Childhood Lead Registry

Number and percentage of children 0-72 months old tested for lead, with number and percentage of new (incident) and existing (prevalent) cases of blood lead level ≥ 10 $\mu\text{g/dL}$ and blood lead level 5-9 $\mu\text{g/dL}$ by county of residence

Garrett County

Calendar Year	Population of Children	Children Tested		Blood Lead Level ≥ 10 $\mu\text{g/dL}$			
				Prevalence Cases		Incidence Cases	
		Number	Percent	Number	Percent	Number	Percent
2004	2,323	563	24.2	7	1.2		
2005	2,365	532	22.5	4	0.8	3	0.6
2006	2,406	495	20.6	5	1.0	3	0.6
2007	2,432	541	22.2	2	0.4	2	0.4
2008	2,468	479	19.4	2	0.4	1	0.2
2009	2,490	473	19.0	2	0.4	2	0.4
2010	2,555	517	20.2	1	0.2	1	0.2
2011	2,185	438	20.0	3	0.7	3	0.7
2012	2,225	427	19.2	1	0.2	0	0.0
2013	2,265	401	17.7	0	0.0	0	0.0

Calendar Year	Population of Children	Children Tested		Blood Lead Level 5-9 $\mu\text{g/dL}$			
				Prevalence Cases		Incidence Cases	
		Number	Percent	Number	Percent	Number	Percent
2004	2,323	563	24.2	40	7.1		
2005	2,365	532	22.5	32	6.0		
2006	2,406	495	20.6	22	4.4		
2007	2,432	541	22.2	17	3.1		
2008	2,468	479	19.4	18	3.8		
2009	2,490	473	19.0	29	6.1		
2010	2,555	517	20.2	14	2.7		
2011	2,185	438	20.0	9	2.1		
2012	2,225	427	19.2	6	1.4	5	1.2
2013	2,265	401	17.7	8	2.0	7	1.7

Refer to page 27 for notes and explanations.

MARYLAND DEPARTMENT OF THE ENVIRONMENT

Lead Poisoning Prevention Program: Childhood Lead Registry

Number and percentage of children 0-72 months old tested for lead, with number and percentage of new (incident) and existing (prevalent) cases of blood lead level ≥ 10 $\mu\text{g/dL}$ and blood lead level 5-9 $\mu\text{g/dL}$ by county of residence

Harford County

Calendar Year	Population of Children	Children Tested		Blood Lead Level ≥ 10 $\mu\text{g/dL}$			
				Prevalence Cases		Incidence Cases	
		Number	Percent	Number	Percent	Number	Percent
2004	20,032	3,170	15.8	24	0.8		
2005	20,371	2,939	14.4	17	0.6	14	0.5
2006	20,721	3,041	14.7	15	0.5	14	0.5
2007	20,947	3,346	16.0	6	0.2	5	0.1
2008	21,005	3,258	15.5	5	0.2	5	0.2
2009	21,180	3,184	15.0	2	0.1	2	0.1
2010	21,745	3,176	14.6	8	0.3	8	0.3
2011	20,720	2,970	14.3	5	0.2	5	0.2
2012	21,100	2,979	14.1	6	0.2	5	0.2
2013	21,473	2,854	13.3	1	0.0	1	0.0

Calendar Year	Population of Children	Children Tested		Blood Lead Level 5-9 $\mu\text{g/dL}$			
				Prevalence Cases		Incidence Cases	
		Number	Percent	Number	Percent	Number	Percent
2004	20,032	3,170	15.8	235	7.4		
2005	20,371	2,939	14.4	171	5.8		
2006	20,721	3,041	14.7	154	5.1		
2007	20,947	3,346	16.0	115	3.4		
2008	21,005	3,258	15.5	60	1.8		
2009	21,180	3,184	15.0	86	2.7		
2010	21,745	3,176	14.6	48	1.5		
2011	20,720	2,970	14.3	31	1.0		
2012	21,100	2,979	14.1	34	1.1	29	1.0
2013	21,473	2,854	13.3	34	1.2	29	1.0

Refer to page 27 for notes and explanations.

MARYLAND DEPARTMENT OF THE ENVIRONMENT

Lead Poisoning Prevention Program: Childhood Lead Registry

Number and percentage of children 0-72 months old tested for lead, with number and percentage of new (incident) and existing (prevalent) cases of blood lead level ≥ 10 $\mu\text{g/dL}$ and blood lead level 5-9 $\mu\text{g/dL}$ by county of residence

Howard County

Calendar Year	Population of Children	Children Tested		Blood Lead Level ≥ 10 $\mu\text{g/dL}$			
		Number	Percent	Prevalence Cases		Incidence Cases	
				Number	Percent	Number	Percent
2004	23,278	2,338	10.0	13	0.6		
2005	23,686	2,273	9.6	7	0.3	4	0.2
2006	24,092	2,188	9.1	8	0.4	6	0.3
2007	24,355	2,334	9.6	3	0.1	2	0.1
2008	24,777	2,493	10.1	5	0.2	4	0.2
2009	24,990	2,503	10.0	1	0.0	1	0.0
2010	25,645	2,631	10.3	3	0.1	2	0.1
2011	24,261	2,558	10.5	7	0.3	6	0.2
2012	24,707	2,500	10.1	6	0.2	3	0.1
2013	25,144	2,487	9.9	3	0.1	3	0.1

Calendar Year	Population of Children	Children Tested		Blood Lead Level 5-9 $\mu\text{g/dL}$			
		Number	Percent	Prevalence Cases		Incidence Cases	
				Number	Percent	Number	Percent
2004	23,278	2,338	10.0	85	3.6		
2005	23,686	2,273	9.6	61	2.7		
2006	24,092	2,188	9.1	82	3.7		
2007	24,355	2,334	9.6	68	2.9		
2008	24,777	2,493	10.1	45	1.8		
2009	24,990	2,503	10.0	45	1.8		
2010	25,645	2,631	10.3	27	1.0		
2011	24,261	2,558	10.5	20	0.8		
2012	24,707	2,500	10.1	25	1.0	24	1.0
2013	25,144	2,487	9.9	23	0.9	21	0.8

Refer to page 27 for notes and explanations.

MARYLAND DEPARTMENT OF THE ENVIRONMENT

Lead Poisoning Prevention Program: Childhood Lead Registry

Number and percentage of children 0-72 months old tested for lead, with number and percentage of new (incident) and existing (prevalent) cases of blood lead level ≥ 10 $\mu\text{g/dL}$ and blood lead level 5-9 $\mu\text{g/dL}$ by county of residence

Kent County

Calendar Year	Population of Children	Children Tested		Blood Lead Level ≥ 10 $\mu\text{g/dL}$			
				Prevalence Cases		Incidence Cases	
		Number	Percent	Number	Percent	Number	Percent
2004	1,144	208	18.2	6	2.9		
2005	1,164	172	14.8	2	1.2	2	1.2
2006	1,184	257	21.7	4	1.6	4	1.6
2007	1,197	334	27.9	2	0.6	1	0.3
2008	1,242	303	24.4	5	1.7	3	1.0
2009	1,253	323	25.8	2	0.6	0	0.0
2010	1,286	277	21.5	2	0.7	2	0.7
2011	1,380	266	19.3	1	0.4	1	0.4
2012	1,406	243	17.3	2	0.8	2	0.8
2013	1,430	262	18.3	1	0.4	1	0.4

Calendar Year	Population of Children	Children Tested		Blood Lead Level 5-9 $\mu\text{g/dL}$			
				Prevalence Cases		Incidence Cases	
		Number	Percent	Number	Percent	Number	Percent
2004	1,144	208	18.2	30	14.4		
2005	1,164	172	14.8	28	16.3		
2006	1,184	257	21.7	48	18.7		
2007	1,197	334	27.9	21	6.3		
2008	1,242	303	24.4	11	3.6		
2009	1,253	323	25.8	11	3.4		
2010	1,286	277	21.5	11	4.0		
2011	1,380	266	19.3	7	2.6		
2012	1,406	243	17.3	7	2.9	6	2.5
2013	1,430	262	18.3	4	1.5	3	1.1

Refer to page 27 for notes and explanations.

MARYLAND DEPARTMENT OF THE ENVIRONMENT

Lead Poisoning Prevention Program: Childhood Lead Registry

Number and percentage of children 0-72 months old tested for lead, with number and percentage of new (incident) and existing (prevalent) cases of blood lead level ≥ 10 $\mu\text{g/dL}$ and blood lead level 5-9 $\mu\text{g/dL}$ by county of residence

Montgomery County

Calendar Year	Population of Children	Children Tested		Blood Lead Level ≥ 10 $\mu\text{g/dL}$			
		Number	Percent	Prevalence Cases		Incidence Cases	
				Number	Percent	Number	Percent
2004	75,867	15,934	21.0	81	0.5		
2005	77,085	16,353	21.2	65	0.4	55	0.3
2006	78,408	17,411	22.2	53	0.3	48	0.3
2007	79,264	18,274	23.1	35	0.2	31	0.2
2008	80,262	18,587	23.2	36	0.2	25	0.1
2009	80,950	18,200	22.5	25	0.1	20	0.1
2010	83,089	20,961	25.2	30	0.1	26	0.1
2011	87,595	19,843	22.7	36	0.2	32	0.2
2012	89,202	20,515	23.0	24	0.1	15	0.1
2013	90,774	20,308	22.4	26	0.1	24	0.1

Calendar Year	Population of Children	Children Tested		Blood Lead Level 5-9 $\mu\text{g/dL}$			
		Number	Percent	Prevalence Cases		Incidence Cases	
				Number	Percent	Number	Percent
2004	75,867	15,934	21.0	500	3.1		
2005	77,085	16,353	21.2	405	2.5		
2006	78,408	17,411	22.2	503	2.9		
2007	79,264	18,274	23.1	434	2.4		
2008	80,262	18,587	23.2	260	1.4		
2009	80,950	18,200	22.5	248	1.4		
2010	83,089	20,961	25.2	242	1.2		
2011	87,595	19,843	22.7	162	0.8		
2012	89,202	20,515	23.0	169	0.8	151	0.7
2013	90,774	20,308	22.4	175	0.9	159	0.8

Refer to page 27 for notes and explanations.

MARYLAND DEPARTMENT OF THE ENVIRONMENT

Lead Poisoning Prevention Program: Childhood Lead Registry

Number and percentage of children 0-72 months old tested for lead, with number and percentage of new (incident) and existing (prevalent) cases of blood lead level ≥ 10 $\mu\text{g/dL}$ and blood lead level 5-9 $\mu\text{g/dL}$ by county of residence

Prince George's County

Calendar Year	Population of Children	Children Tested		Blood Lead Level ≥ 10 $\mu\text{g/dL}$			
		Number	Percent	Prevalence Cases		Incidence Cases	
				Number	Percent	Number	Percent
2004	73,498	19,785	26.9	87	0.4		
2005	74,714	17,906	24.0	68	0.4	61	0.3
2006	75,996	18,561	24.4	71	0.4	66	0.4
2007	76,826	18,071	23.5	38	0.2	35	0.2
2008	77,625	18,732	24.1	41	0.2	33	0.2
2990	78,279	19,594	25.0	50	0.3	45	0.2
2010	80,358	21,595	26.9	53	0.2	42	0.2
2011	79,810	19,672	24.6	39	0.2	37	0.2
2012	81,273	20,417	25.1	20	0.1	17	0.1
2013	82,700	20,437	24.7	13	0.1	12	0.1

Calendar Year	Population of Children	Children Tested		Blood Lead Level 5-9 $\mu\text{g/dL}$			
		Number	Percent	Prevalence Cases		Incidence Cases	
				Number	Percent	Number	Percent
2004	73,498	19,785	26.9	1,098	5.5		
2005	74,714	17,906	24.0	728	4.1		
2006	75,996	18,561	24.4	953	5.1		
2007	76,826	18,071	23.5	648	3.6		
2008	77,625	18,732	24.1	427	2.3		
2990	78,279	19,594	25.0	354	1.8		
2010	80,358	21,595	26.9	419	1.9		
2011	79,810	19,672	24.6	250	1.3		
2012	81,273	20,417	25.1	222	1.1	196	1.0
2013	82,700	20,437	24.7	222	1.1	201	1.0

Refer to page 27 for notes and explanations.

MARYLAND DEPARTMENT OF THE ENVIRONMENT

Lead Poisoning Prevention Program: Childhood Lead Registry

Number and percentage of children 0-72 months old tested for lead, with number and percentage of new (incident) and existing (prevalent) cases of blood lead level ≥ 10 $\mu\text{g/dL}$ and blood lead level 5-9 $\mu\text{g/dL}$ by county of residence

Queen Anne's County

Calendar Year	Population of Children	Children Tested		Blood Lead Level ≥ 10 $\mu\text{g/dL}$			
		Number	Percent	Prevalence Cases		Incidence Cases	
				Number	Percent	Number	Percent
2004	3,312	453	13.7	4	0.9		
2005	3,367	484	14.4	0	0.0	0	0.0
2006	3,425	659	19.2	4	0.6	4	0.6
2007	3,462	703	20.3	4	0.6	2	0.3
2008	3,583	594	16.6	1	0.2	1	0.2
2009	3,614	607	16.8	4	0.7	4	0.7
2010	3,709	573	15.4	4	0.7	2	0.3
2011	3,798	475	12.5	2	0.4	2	0.4
2012	3,868	494	12.8	2	0.4	2	0.4
2013	3,936	444	11.3	2	0.5	2	0.5

Calendar Year	Population of Children	Children Tested		Blood Lead Level 5-9 $\mu\text{g/dL}$			
		Number	Percent	Prevalence Cases		Incidence Cases	
				Number	Percent	Number	Percent
2004	3,312	453	13.7	42	9.3		
2005	3,367	484	14.4	40	8.3		
2006	3,425	659	19.2	44	6.7		
2007	3,462	703	20.3	52	7.4		
2008	3,583	594	16.6	13	2.2		
2009	3,614	607	16.8	17	2.8		
2010	3,709	573	15.4	11	1.9		
2011	3,798	475	12.5	7	1.5		
2012	3,868	494	12.8	13	2.6	13	2.6
2013	3,936	444	11.3	5	1.1	3	0.7

Refer to page 27 for notes and explanations.

MARYLAND DEPARTMENT OF THE ENVIRONMENT

Lead Poisoning Prevention Program: Childhood Lead Registry

Number and percentage of children 0-72 months old tested for lead, with number and percentage of new (incident) and existing (prevalent) cases of blood lead level ≥ 10 $\mu\text{g/dL}$ and blood lead level 5-9 $\mu\text{g/dL}$ by county of residence

Saint Mary's County

Calendar Year	Population of Children	Children Tested		Blood Lead Level ≥ 10 $\mu\text{g/dL}$			
		Number	Percent	Prevalence Cases		Incidence Cases	
				Number	Percent	Number	Percent
2004	8,006	1,390	17.4	2	0.1		
2005	8,145	1,381	17.0	10	0.7	9	0.7
2006	8,285	1,517	18.3	11	0.7	11	0.7
2007	8,375	1,468	17.5	2	0.1	1	0.1
2008	8,548	1,517	17.7	4	0.3	3	0.2
2009	8,618	1,527	17.7	4	0.3	3	0.2
2010	8,847	1,659	18.8	0	0.0	0	0.0
2011	10,427	1,602	15.4	0	0.0	0	0.0
2012	10,618	1,634	15.4	1	0.1	1	0.1
2013	10,805	1,533	14.2	0	0.0	0	0.0

Calendar Year	Population of Children	Children Tested		Blood Lead Level 5-9 $\mu\text{g/dL}$			
		Number	Percent	Prevalence Cases		Incidence Cases	
				Number	Percent	Number	Percent
2004	8,006	1,390	17.4	133	9.6		
2005	8,145	1,381	17.0	87	6.3		
2006	8,285	1,517	18.3	119	7.8		
2007	8,375	1,468	17.5	72	4.9		
2008	8,548	1,517	17.7	57	3.8		
2009	8,618	1,527	17.7	50	3.3		
2010	8,847	1,659	18.8	40	2.4		
2011	10,427	1,602	15.4	20	1.2		
2012	10,618	1,634	15.4	28	1.7	26	1.6
2013	10,805	1,533	14.2	20	1.3	19	1.2

Refer to page 27 for notes and explanations.

MARYLAND DEPARTMENT OF THE ENVIRONMENT

Lead Poisoning Prevention Program: Childhood Lead Registry

Number and percentage of children 0-72 months old tested for lead, with number and percentage of new (incident) and existing (prevalent) cases of blood lead level ≥ 10 $\mu\text{g/dL}$ and blood lead level 5-9 $\mu\text{g/dL}$ by county of residence

Somerset County

Calendar Year	Population of Children	Children Tested		Blood Lead Level ≥ 10 $\mu\text{g/dL}$			
		Number	Percent	Prevalence Cases		Incidence Cases	
				Number	Percent	Number	Percent
2004	1,508	477	31.6	10	2.1		
2005	1,534	488	31.8	8	1.6	3	0.6
2006	1,560	506	32.4	9	1.8	5	1.0
2007	1,577	529	33.5	2	0.4	2	0.4
2008	1,521	522	34.3	2	0.4	2	0.4
2009	1,533	497	32.4	4	0.8	3	0.6
2010	1,575	517	32.8	1	0.2	1	0.2
2011	1,742	549	31.5	2	0.4	1	0.2
2012	1,774	608	34.3	2	0.3	2	0.3
2013	1,805	564	31.2	4	0.7	4	0.7

Calendar Year	Population of Children	Children Tested		Blood Lead Level 5-9 $\mu\text{g/dL}$			
		Number	Percent	Prevalence Cases		Incidence Cases	
				Number	Percent	Number	Percent
2004	1,508	477	31.6	87	18.2		
2005	1,534	488	31.8	78	16.0		
2006	1,560	506	32.4	71	14.0		
2007	1,577	529	33.5	48	9.1		
2008	1,521	522	34.3	30	5.7		
2009	1,533	497	32.4	17	3.4		
2010	1,575	517	32.8	16	3.1		
2011	1,742	549	31.5	10	1.8		
2012	1,774	608	34.3	18	3.0	13	2.1
2013	1,805	564	31.2	4	0.7	3	0.5

Refer to page 27 for notes and explanations.

MARYLAND DEPARTMENT OF THE ENVIRONMENT

Lead Poisoning Prevention Program: Childhood Lead Registry

Number and percentage of children 0-72 months old tested for lead, with number and percentage of new (incident) and existing (prevalent) cases of blood lead level ≥ 10 $\mu\text{g/dL}$ and blood lead level 5-9 $\mu\text{g/dL}$ by county of residence

Talbot County

Calendar Year	Population of Children	Children Tested		Blood Lead Level ≥ 10 $\mu\text{g/dL}$			
		Number	Percent	Prevalence Cases		Incidence Cases	
				Number	Percent	Number	Percent
2004	2,244	488	21.7	6	1.2		
2005	2,286	573	25.1	2	0.3	2	0.3
2007	2,326	636	27.3	5	0.8	5	0.8
2007	2,351	702	29.9	4	0.6	3	0.4
2008	2,399	612	25.5	5	0.8	5	0.8
2009	2,417	675	27.9	4	0.6	3	0.4
2010	2,482	692	27.9	3	0.4	2	0.3
2011	2,600	655	25.2	4	0.6	3	0.5
2012	2,648	606	22.9	3	0.5	2	0.3
2013	2,695	667	24.8	9	1.3	8	1.2

Calendar Year	Population of Children	Children Tested		Blood Lead Level 5-9 $\mu\text{g/dL}$			
		Number	Percent	Prevalence Cases		Incidence Cases	
				Number	Percent	Number	Percent
2004	2,244	488	21.7	56	11.5		
2005	2,286	573	25.1	56	9.8		
2007	2,326	636	27.3	49	7.7		
2007	2,351	702	29.9	46	6.6		
2008	2,399	612	25.5	26	4.2		
2009	2,417	675	27.9	21	3.1		
2010	2,482	692	27.9	20	2.9		
2011	2,600	655	25.2	14	2.1		
2012	2,648	606	22.9	8	1.3	6	1.0
2013	2,695	667	24.8	10	1.5	9	1.3

Refer to page 27 for notes and explanations.

MARYLAND DEPARTMENT OF THE ENVIRONMENT

Lead Poisoning Prevention Program: Childhood Lead Registry

Number and percentage of children 0-72 months old tested for lead, with number and percentage of new (incident) and existing (prevalent) cases of blood lead level ≥ 10 $\mu\text{g/dL}$ and blood lead level 5-9 $\mu\text{g/dL}$ by county of residence

Washington County

Calendar Year	Population of Children	Children Tested		Blood Lead Level ≥ 10 $\mu\text{g/dL}$			
		Number	Percent	Prevalence Cases		Incidence Cases	
				Number	Percent	Number	Percent
2004	10,252	3,029	29.5	39	1.3		
2005	10,414	3,235	31.1	21	0.6	18	0.6
2006	10,593	3,012	28.4	18	0.6	15	0.5
2007	10,709	3,064	28.6	8	0.3	6	0.2
2008	11,113	3,041	27.4	13	0.4	11	0.4
2009	11,207	3,006	26.8	9	0.3	9	0.3
2010	11,503	2,544	22.1	9	0.4	6	0.2
2011	12,462	2,691	21.6	12	0.4	10	0.4
2012	12,691	2,675	21.1	0	0.0	0	0.0
2013	12,915	2,714	21.0	7	0.3	7	0.3

Calendar Year	Population of Children	Children Tested		Blood Lead Level 5-9 $\mu\text{g/dL}$			
		Number	Percent	Prevalence Cases		Incidence Cases	
				Number	Percent	Number	Percent
2004	10,252	3,029	29.5	477	15.7		
2005	10,414	3,235	31.1	303	9.4		
2006	10,593	3,012	28.4	284	9.4		
2007	10,709	3,064	28.6	291	9.5		
2008	11,113	3,041	27.4	402	13.2		
2009	11,207	3,006	26.8	362	12.0		
2010	11,503	2,544	22.1	129	5.1		
2011	12,462	2,691	21.6	154	5.7		
2012	12,691	2,675	21.1	119	4.4	102	3.8
2013	12,915	2,714	21.0	59	2.2	51	1.9

Refer to page 27 for notes and explanations.

MARYLAND DEPARTMENT OF THE ENVIRONMENT

Lead Poisoning Prevention Program: Childhood Lead Registry

Number and percentage of children 0-72 months old tested for lead, with number and percentage of new (incident) and existing (prevalent) cases of blood lead level ≥ 10 $\mu\text{g/dL}$ and blood lead level 5-9 $\mu\text{g/dL}$ by county of residence

Wicomico County

Calendar Year	Population of Children	Children Tested		Blood Lead Level ≥ 10 $\mu\text{g/dL}$			
				Prevalence Cases		Incidence Cases	
		Number	Percent	Number	Percent	Number	Percent
2004	6,736	1,917	28.5	40	2.1		
2005	6,838	2,096	30.7	29	1.4	18	0.9
2006	6,955	2,440	35.1	22	0.9	16	0.7
2007	7,031	2,975	42.3	23	0.8	14	0.5
2008	6,998	2,420	34.6	20	0.8	13	0.5
2009	7,058	2,248	31.9	10	0.4	6	0.3
2010	7,246	2,342	32.3	9	0.4	5	0.2
2011	8,427	2,215	26.3	5	0.2	4	0.2
2012	8,582	2,154	25.1	4	0.2	4	0.2
2013	8,733	2,048	23.5	6	0.3	5	0.2

Calendar Year	Population of Children	Children Tested		Blood Lead Level 5-9 $\mu\text{g/dL}$			
				Prevalence Cases		Incidence Cases	
		Number	Percent	Number	Percent	Number	Percent
2004	6,736	1,917	28.5	306	16.0		
2005	6,838	2,096	30.7	249	11.9		
2006	6,955	2,440	35.1	355	14.5		
2007	7,031	2,975	42.3	246	8.3		
2008	6,998	2,420	34.6	90	3.7		
2009	7,058	2,248	31.9	94	4.2		
2010	7,246	2,342	32.3	53	2.3		
2011	8,427	2,215	26.3	46	2.1		
2012	8,582	2,154	25.1	44	2.0	35	1.6
2013	8,733	2,048	23.5	48	2.3	41	2.0

Refer to page 27 for notes and explanations.

MARYLAND DEPARTMENT OF THE ENVIRONMENT

Lead Poisoning Prevention Program: Childhood Lead Registry

Number and percentage of children 0-72 months old tested for lead, with number and percentage of new (incident) and existing (prevalent) cases of blood lead level ≥ 10 $\mu\text{g/dL}$ and blood lead level 5-9 $\mu\text{g/dL}$ by county of residence

Worcester County

Calendar Year	Population of Children	Children Tested		Blood Lead Level ≥ 10 $\mu\text{g/dL}$			
				Prevalence Cases		Incidence Cases	
		Number	Percent	Number	Percent	Number	Percent
2004	2,904	675	23.2	11	1.6		
2005	2,952	696	23.6	6	0.9	3	0.4
2006	3,002	962	32.0	7	0.7	5	0.5
2007	3,035	947	31.2	7	0.7	5	0.5
2008	3,148	910	28.9	5	0.5	3	0.3
2009	3,177	850	26.8	2	0.2	1	0.1
2010	3,259	900	27.6	2	0.2	2	0.2
2011	3,182	877	27.6	2	0.2	2	0.2
2012	3,240	856	26.4	2	0.2	2	0.2
2013	3,297	830	25.2	3	0.4	3	0.4

Calendar Year	Population of Children	Children Tested		Blood Lead Level 5-9 $\mu\text{g/dL}$			
				Prevalence Cases		Incidence Cases	
		Number	Percent	Number	Percent	Number	Percent
2004	2,904	675	23.2	126	18.7		
2005	2,952	696	23.6	101	14.5		
2006	3,002	962	32.0	125	13.0		
2007	3,035	947	31.2	66	7.0		
2008	3,148	910	28.9	42	4.6		
2009	3,177	850	26.8	25	2.9		
2010	3,259	900	27.6	15	1.7		
2011	3,182	877	27.6	9	1.0		
2012	3,240	856	26.4	7	0.8	6	0.7
2013	3,297	830	25.2	10	1.2	10	1.2

Refer to page 27 for notes and explanations.

MARYLAND DEPARTMENT OF THE ENVIRONMENT

Lead Poisoning Prevention Program: Childhood Lead Registry

Number and percentage of children 0-72 months old tested for lead, with number and percentage of new (incident) and existing (prevalent) cases of blood lead level ≥ 10 $\mu\text{g/dL}$ and blood lead level 5-9 $\mu\text{g/dL}$ by county of residence

County Unknown

Calendar Year	Population of Children	Children Tested		Blood Lead Level ≥ 10 $\mu\text{g/dL}$			
		Number	Percent	Prevalence Cases		Incidence Cases	
		Number	Percent	Number	Percent	Number	Percent
2004		3,577		55			
2005		357		14		13	
2006		199		21		20	
2007		278		1		1	
2008		69		0		0	
2009		5		0		0	
2010		477		0		0	
2011		4		0		0	
2012		75		3		2	
2013		8		1		1	

Calendar Year	Population of Children	Children Tested		Blood Lead Level 5-9 $\mu\text{g/dL}$			
		Number	Percent	Prevalence Cases		Incidence Cases	
		Number	Percent	Number	Percent	Number	Percent
2004		3,577		315			
2005		357		51			
2006		199		26			
2007		278		30			
2008		69		5			
2009		5		0			
2010		477		23			
2011		4		0			
2012		75		3		3	
2013		8		1		1	

Refer to page 27 for notes and explanations.

MARYLAND DEPARTMENT OF THE ENVIRONMENT

Lead Poisoning Prevention Program: Childhood Lead Registry

Number and percentage of children 0-72 months old tested for lead, with number and percentage of new (incident) and existing (prevalent) cases of blood lead level ≥ 10 $\mu\text{g/dL}$ and blood lead level 5-9 $\mu\text{g/dL}$ by county of residence

Statewide

Calendar Year	Population of Children	Children Tested		Blood Lead Level ≥ 10 $\mu\text{g/dL}$			
				Prevalence Cases		Incidence Cases	
		Number	Percent	Number	Percent	Number	Percent
2004	448,106	105,549	23.6	1,811	1.7		
2005	455,514	99,148	21.8	1,331	1.3	916	0.9
2006	463,331	102,974	22.2	1,274	1.2	936	0.9
2007	468,390	105,708	22.6	892	0.8	654	0.6
2008	474,900	106,453	22.4	713	0.7	489	0.5
2009	478,919	107,416	22.4	553	0.5	379	0.4
2010	491,598	114,829	23.4	531	0.5	399	0.3
2011	500,702	109,534	21.9	452	0.4	342	0.3
2012	509,885	110,539	21.7	364	0.3	255	0.2
2013	518,864	110,082	21.2	371	0.3	304	0.3

Calendar Year	Population of Children	Children Tested		Blood Lead Level 5-9 $\mu\text{g/dL}$			
				Prevalence Cases		Incidence Cases	
		Number	Percent	Number	Percent	Number	Percent
2004	448,106	105,549	23.6	10,337	9.8		
2005	455,514	99,148	21.8	7,439	7.5		
2006	463,331	102,974	22.2	8,642	8.4		
2007	468,390	105,708	22.6	6,968	6.6		
2008	474,900	106,453	22.4	5,077	4.8		
2009	478,919	107,416	22.4	4,583	4.3		
2010	491,598	114,829	23.4	3,506	3.1		
2011	500,702	109,534	21.9	2,740	2.5		
2012	509,885	110,539	21.7	2,375	2.1	1,792	1.6
2013	518,864	110,082	21.2	2,251	2.0	1,724	1.6

Terms and definitions

1. The 2004-2010 populations are adapted from US Census Bureau: "State Interim Population Projection by Age and Sex: 2000-2030". Populations for 2011-2013 were adapted from Maryland census population 2010, provided by the Maryland Data Center, Maryland Department of Planning, www.planning.maryland.gov/msdc.
2. The term "Prevalence" is based on number of children with a given blood lead level in a given period of time.

3. The term “Incidence” is based on number of children with the very first given blood lead level in a given period of time.
4. In March 2012, CDC adopted the blood lead level of 5 µg/dL as “Reference Value”. To accommodate this revision, from 2012 forward the prevalence and incidence of blood lead level 5-9 µg/dL were added to this supplementary data table.
5. Numbers are based on number of children tested. For children with multiple tests in a calendar year the highest venous blood lead test or the highest capillary in the absence of any venous test was selected. As such a child who is counted under “Blood Lead Level ≥ 10 ” has not been counted under “Blood Lead Level 5-9” even if the child had a blood lead test in that category in that calendar year.
6. County assignment is based on child’s address census tract or the zip code. Reports with no or incomplete address were assumed to be from Maryland children with county unknown.