

Description

The MAS capture beads kit has streptavidin beads which can be used in combination with a biotinylated probe. It is intended to be used to capture the 3' end of 10x cDNA molecules.

This is part 2 of a bundle for the MAS-Seq for Single Cell 3' kit (102-659-600), which should be sold together with MAS-Seq for 10x 3' concatenation kit (102-407-900) and SMRTbell® cleanup beads (102-158-300).

Kit configuration & layout

Configuration

#	Component	Part number	Qty	Color	Volume
1	MAS capture beads	102-696-500	1	Clear	105 µL
2	MAS bead binding buffer	102-696-600	1	Clear	830 µL
3	MAS bead washing buffer	102-696-700	1	Clear	1400 µL

Layout



Quantities

8 reactions

Storage and handling requirements

Product should be stored between 2 °C to 8 °C.

Refer to protocols for additional recommendations for reagent handling.

Shelf life

Refer to expiration date on kit label.

Intended use

Research use only. Not for use in diagnostic procedures.

Support

For additional product and technical information, such as safety data sheets (SDS) or procedures, visit our [website](#).

Legal

Research use only. Not for use in diagnostic procedures. © 2023 Pacific Biosciences of California, Inc. ("PacBio"). Information in this document is subject to change without notice. PacBio assumes no responsibility for any errors or omissions in this document. Certain notices, terms, conditions and/or use restrictions may pertain to your use of PacBio products and/or third-party products. Refer to the applicable PacBio terms and conditions of sale and to the applicable license terms at pacb.com/license. Pacific Biosciences, the PacBio logo, PacBio, Circulomics, Omniome, SMRT, SMRTbell, Iso-Seq, Sequel, Nanobind, SBB, Revio, and Onso are trademarks of PacBio.