## **Category-based DNT**

Vincent Toubiana (Alcatel-Lucent France) and Helen Nissenbaum (NYU)

W3C workshop on Web Tracking and User Privacy
April 28-29

Research supported by AFSOR: ONR BAA 07-03 (MURI) and NSF CT-M: Privacy, Compliance, & Information Risk CNS-0831124

## Motivation

- Examples of current proposals
  - All/Nothing
  - Blacklist third parties (e.g. Ad servers)
  - White list websites
- Limitations
  - Not sufficiently fine grained
  - Hard to manage complexity
  - Hard to keep up with dynamic change

## Proposal: Category-based DNT

- Users select categories of websites on which they can be tracked (based on Adnostic website content analysis algorithm)
- Users can have multiple profiles (each associated with at least one category)
- Alpha prototype uses cookies and DNT header respectively, to convey user's intentions

	_		
Categories	Profile P1	Profile P2	Do Not Track
Arts & Entertainment			
Autos & Vehicles			
Computers & Electronics			
Finance			
Internet & Telecom			
Law & Government			
People & Society			
Sports			
Travel			
	Cookies ID		
DoublClick	123-DC-XY	456-DC-AB	DNT Header
Microsoft	789-MS	ABC-MS	DNT Header

## Adnostic content analysis

